



## Slings

### Model WSDP



### Features




- Capacity range from 1 to 5 Tons
- Double ply polyester webbing sling with reinforced lifting eyes.
- Compact size with light weight
- Color coded according to DIN-EN-1492-1
- Each inch webbing width is equal to 1 Ton Capacity
- Low elongation
- Safety factor 7:1

### Sling Construction

The slings are designed for lifting loads. Before using, make sure that the load doesn't exceed the rated capacity of the sling. Slings should always be stored indoors.



689 S.W. 7<sup>th</sup> Terrace  
Dania, FL 33004  
Phone: (954) 367-6116  
[www.acihoist.com](http://www.acihoist.com)

<b>Capacities</b>			
<b>Model</b>			
	<b>Vertical (lbs)</b>	<b>Choked (lbs)</b>	<b>Basket (lbs)</b>
<b>Eye-to-Eye Double Ply Polyester Webbing Slings</b>			
<b>WSDP-020</b>	2,200	1,800	4,400
<b>WSDP-040</b>	4,400	3,500	8,800
<b>WSDP-060</b>	6,600	5,300	13,200
<b>WSDP-080</b>	8,800	7,000	17,600
<b>WSDP-100</b>	11,000	8,800	22,000

<b>Model</b>	<b>Capacity (lbs)</b>	<b>L Length (ft)</b>	<b>W Width (in)</b>	<b>Weight (lbs)</b>
<b>WSDP-020</b>	2,200	4	2	1
		6		2
		8		2
		10		2.5
		12		2.5
		14		3
		16		3
		18		3.5
<b>WSDP-040</b>	4,400	4	2.25	1
		6		2
		8		2
		10		3
		12		3.5
		14		3.5
		16		3.5
		18		4
<b>WSDP-060</b>	6,600	4	3	2
		6		3
		8		4
		10		5
		12		6
		14		6
		16		6
		18		7
<b>WSDP-080</b>	8,800	4	4	3
		6		4
		8		5
		10		6
		12		7
		14		7
		16		7
		18		9
<b>WSDP-100</b>	11,000	4	5	4
		6		5
		8		6
		10		8
		12		9
		14		9
		16		9
		18		10