

## Slings

### Models WSESP and WSEDP



### Features




- Capacity range from 1 to 4 Tons
- Available in Single ply or Double ply
- Compact size with light weight
- Color coded according to DIN-EN-1492-1
- Flexible Construction
- Safety factor 7:1
- The lift weight, flexibility and stretch of synthetic slings reduce fatigue and strain on riggers
- Fully enclosed within a protective cover(s)

### Sling Construction

The slings are designed for lifting loads. Before using, make sure that the load doesn't exceed the rated capacity of the sling. Slings should always be stored indoors.



689 S.W. 7<sup>th</sup> Terrace  
Dania, FL 33004  
Phone: (954) 367-6116  
[www.acihoist.com](http://www.acihoist.com)

Capacities			
Model			
	Vertical (lbs)	Choked (lbs)	Basket (lbs)
<b>Endless / Round Single-Ply Polyester Webbing Slings</b>			
<b>WSESP-020</b>	2,200	1,800	4,400
<b>WSESP-040</b>	4,400	3,500	8,800
<b>WSESP-060</b>	6,600	5,300	13,200
<b>WSESP-080</b>	8,800	7,000	17,600
<b>Endless / Round Double-Ply Polyester Webbing Slings</b>			
<b>WSEDP-040</b>	4,400	3,500	8,800
<b>WSEDP-060</b>	6,600	5,300	13,200
<b>WSEDP-080</b>	8,800	7,000	17,600

Model	Capacity	L Length (ft)	W Width (in)	Weight (lbs)
WSESP-020	2,200	4	1	1
		6		1
		8		1
		10		1
		12		1
		14		1
		16		1
WSESP-040	4,400	4	2	1
		6		1
		8		1.5
		10		2
		12		2
		14		2
		16		2
WSESP-060	6,600	4	3	1.5
		6		2
		8		2
		10		3
		12		4
		14		5
		16		5
WSESP-080	8,800	4	4	3
		6		3
		8		4
		10		5
		12		6
		14		7
		16		8
18	10			

<b>Model</b>	<b>Capacity (lbs)</b>	<b>L Length (ft)</b>	<b>W Width (in)</b>	<b>Weight (lbs)</b>
<b>WSEDP-040</b>	<b>4,400</b>	<b>4</b>	<b>1</b>	<b>1</b>
		<b>6</b>		<b>1</b>
		<b>8</b>		<b>1</b>
		<b>10</b>		<b>1</b>
		<b>12</b>		<b>1</b>
		<b>14</b>		<b>1</b>
		<b>16</b>		<b>1</b>
		<b>18</b>		<b>1</b>
<b>WSEDP-060</b>	<b>6,600</b>	<b>4</b>	<b>2</b>	<b>2</b>
		<b>6</b>		<b>3</b>
		<b>8</b>		<b>4</b>
		<b>10</b>		<b>4.5</b>
		<b>12</b>		<b>5</b>
		<b>14</b>		<b>7</b>
		<b>16</b>		<b>9</b>
		<b>18</b>		<b>11</b>
<b>WSEDP-080</b>	<b>8,800</b>	<b>4</b>	<b>3</b>	<b>3</b>
		<b>6</b>		<b>4</b>
		<b>8</b>		<b>5</b>
		<b>10</b>		<b>6</b>
		<b>12</b>		<b>7</b>
		<b>14</b>		<b>7</b>
		<b>16</b>		<b>7</b>
		<b>18</b>		<b>8</b>